

# BRICK-NANO

Embedded Chassis for IEI DC input EPIC/3.5" SBC

## Features

- » Designed for EPIC / 3.5" SBC with DC input
- » Flexible SBC compatibility
- » One 2.5" hard drive capacity
- » Cost-effective, RoHS compliant design



BRICK Chassis with WAFER-AL (SBC not included)

## Specifications

|                             |   |
|-----------------------------|---|
| Form factor                 |   |
| SBC Form Factor             | Refer to NANO/WAFER Series                |
| I/O Interface               |   |
| I/O Openings                | Reserved IO window for COM port expansion |
| I/O Ports                   | Refer to SBCs                             |
| Expansion Slots             |   |
| Expansion Slots             | Refer to SBCs                             |
| System                      |   |
| Cooling method / System Fan | Refer to SBCs                             |
| Drive Bays                  | 1 x 2.5" HDD bay                          |
| Indicator&Buttons           |   |
| Buttons                     | Power switch with LED                     |
| Color                       |   |
| Color                       | Black                                     |
| Dimensions                  |   |
| Dimensions                  | 220 x 143 x 55 mm                         |
| Weight                      |   |
| Weight                      | 1.2kg/1.5kg                               |
| Environment                 |   |
| Operating Temperature       | 0°C ~ 40°C                                |

## Ordering Information

|                    |  |
|--------------------|--|
| BRICK-WAFER-BT-R10 | Embedded chassis for WAFER-BT SBC, with SATA cable, IO bracket ,power switch, DC input cable, mat black and RoHS |
| BRICK-WAFER-AL-R10 | Embedded chassis for WAFER-AL SBC, with SATA cable, IO bracket ,power switch, DC input cable, mat black and RoHS |
| BRICK-NANO-BT-R10  | Embedded chassis for NANO-BT SBC, with SATA cable, IO bracket ,power switch, DC input cable, mat black and RoHS  |

BRICK-NANO-AL-R10

Embedded chassis for NANO-AL SBC, with SATA cable, IO bracket ,power switch, DC input cable, mat black and RoHS

## Packing List

|                   |                        |
|-------------------|------------------------|
| 1 x BRICK Chassis | 1 x Power switch cable |
| 1 x Screw set     | 1 x QIG                |
| 1 x SATA cable    |                        |