

Mustang-M2AE

Computing Accelerator Card with 1 x Intel® Movidius™ Myriad™ X MA2485 VPU, M.2 AE key interface, 2230, RoHS



Features

- » M.2 AE key form factor (22 x 30 mm)
- » 1 x Intel® Movidius™ Myriad™ X VPU MA2485
- » Power efficiency, approximate 4.5W
- » Operating Temperature -20°C to 60°C
- » Powered by Intel's OpenVINO™ toolkit

Specifications

| | |
|-----------------------------|---|
| System | |
| Chipset | 1 x Intel® Movidius™ Myriad™ X MA2485 VPU |
| Cooling method / System Fan | Active fan |
| Physical Characteristics | |
| Dimensions (LxWxH) (mm) | 113 X 56 X 23 |
| Power | |
| Power Consumption | Approximate 15W |
| Environment | |
| Operating Temperature | -20°C ~ 60°C |
| Humidity | 5% ~ 90% |
| Card Slot Interface | |
| PCIe | Gen 2 x 2 |

Ordering Information

| | |
|----------------------|--|
| Mustang-M2AE-MX1-R10 | Deep learning inference accelerating M.2 AE key card with 1 x Intel® Movidius™ Myriad™ X MA2485 VPU, M.2 interface 22mmx30mm, RoHS |
|----------------------|--|